

Annual Service Record	2-3
Service Centres	4-9
Specifications	10-15
Wiring Diagrams	16-22
Fuse/MCB Specification - all models	23
Bulb, Tube & Fuse Specification	24
Awning Sizes	25
Moisture Test	26-27
Thermal Insulation	26



ANNUAL SERVICE RECORD

CARAVAN MODEL _____ YEAR _____

CHASSIS NUMBER _____

3000 MILES OR 12 MONTHS AFTER DELIVERY STANDARD DAMP CHECK	6000 MILES OR 2 YEARS AFTER DELIVERY STANDARD DAMP CHECK
<i>DEALER STAMP</i>	<i>DEALER STAMP</i>
DATE VIN No.	DATE VIN No.
9000 MILES OR 3 YEARS AFTER DELIVERY STANDARD DAMP CHECK	12000 MILES OR 4 YEARS AFTER DELIVERY STANDARD DAMP CHECK
<i>DEALER STAMP</i>	<i>DEALER STAMP</i>
DATE VIN No.	DATE VIN No.

ANNUAL SERVICE RECORD



15000 MILES OR 5 YEARS AFTER DELIVERY STANDARD DAMP CHECK	18000 MILES OR 6 YEARS AFTER DELIVERY STANDARD DAMP CHECK
<i>DEALER STAMP</i>	<i>DEALER STAMP</i>
DATE VIN No.	DATE VIN No.
21000 MILES OR 7 YEARS AFTER DELIVERY STANDARD DAMP CHECK	24000 MILES OR 8 YEARS AFTER DELIVERY STANDARD DAMP CHECK
<i>DEALER STAMP</i>	<i>DEALER STAMP</i>
DATE VIN No.	DATE VIN No.



SERVICE CENTRES

To comply with the terms and conditions of the Bailey of Bristol Warranty Package (Owners Manual, Section 1.3) all Warranty and Servicing work must be carried out at one of the following authorised Bailey Service Centres:

AMBER LEISURE HITCHIN

Rose Gardens
Cambridge Road
Hitchin
Herts SG4 0JX
Tel: 01462 452856

AUTOMASTER (SOUTH WALES)

Llwyna Farm
Unit 3, Llanharry Road
Brynsandler
Pontyclun RCT
CF72 9DB
Tel: 01443-222-234

AUTOVAN SERVICES

32 Canford Bottom
Wimbourne
Dorset BH21 2HD
Tel: 01202 848414

AVONBRIDGE SRS LTD

Unit 5 Sandleheath Ind Est
Old Brickyard Road
Fordingbridge
Hants SP6 1PA
Tel: 01425 654353

BARDSEA LEISURE

Priory Road
Ulverston
Cumbria LA12 9QE
Tel: 01229 584712

BERKSHIRE CARAVANS

Church Lane
Three Mile Cross
Reading
Berks RG17 1HB
Tel: 01189 888111

BLAZERS CARAVANS

Elba Crescent
Crymlyn Burrows
Fabian Way
Swansea
W. Glamorgan SA1 8QQ
Tel: 01792 643326

BROAD LANE LEISURE (DAVENTRY)

Toll House
A5 Watling Street
Watford Gap
Northampton NN6 7UJ
Tel: 01327 703371

BROAD LANE LEISURE (LEEK WOOTTON)

Warwick Road
Leek Wootton
Warwick
Warks CV35 7PD
Tel: 01926 858880

BRYAN FISK CARAVANS

Lancaster Road
Carnaby Industrial Estate
Bridlington
East Yorks YO1 3QY
Tel: 01262 401727

BUCKLEYS CARAVANS

St Joseph's Road
Mallow
County Cork
Eire
Tel: 00353 2222157

CANWELL CARAVANS

A38 London Road,
Canwell,
Sutton Coldfield,
West Midlands B75 5ST
Tel: 0121-308-0583

CARAFIT CARAVAN SERVICES

Business Park
Cross Hands
Llanelli
Dyfed SA14 6RB
Tel: 01269 831215

THE CARAVAN HOSPITAL

A48 St Hilary
Cowbridge
Vale of Glamorgan CF71 7DP
Tel: 01446 774747

CARAVAN MASTER

Unit 2, Block A
Talbot Green Business Park
Pontyclun RCT
CF72 9FG
Tel: 01443 449973

CARAVAN MEDIC

Mobile Service
South Wales
Tel: 01792 892218
Mobile: 07989 100086

SERVICE CENTRES



CARAVAN TEAM

Mobile Service
South Wales
Tel: 07989-100086

THE CARAVAN PLACE

Garden Village Centre
Bridgnorth Road
Shipley
Wolverhampton WV6 7EZ
Tel: 01902-700222

CARAVAN WORLD

Woodlands Business Park
Tenpenny Hill
Thorrington
Colchester CO7 8JD
Tel: 01206 255055

CARLISLE CARAVAN CENTRE

Harker
Carlisle
Cumbria CA6 4DS
Tel: 01228-674570

CATTERICK CARAVANS

Catterick Bridge
Richmond
Yorkshire DL10 7JB
Tel: 01748-818391

CHARNWOOD CARAVAN SERVICES

Unit 9
Ravenstone Industrial Estate
Coalville
Leicestershire LE67 3NB
Tel: 01530 837314

CHICHESTER CARAVANS (BIRMINGHAM)

308-9 Hagley Road West
Birmingham B32 2AN
Tel: 0121 429 2004

CHICHESTER CARAVANS (BROMSGROVE)

Worcester Road
Upton Warren
Bromsgrove
Worcestershire B61 7EX
Tel: 01527 831515

CHICHESTER CARAVANS (NUTBOURNE)

Main Road (A259)
Nutbourne
Chichester
West Sussex PO18 8RL
Tel: 01243 377441

CHICHESTER CARAVANS (REDHILL)

Brighton Road
Salfords
Redhill
Surrey RH1 5BX
Tel: 01737 768266

CHICHESTER CARAVANS (STOURPORT)

Vale Road
Stourport on Severn
Worcs DY13 8YJ
Tel: 01299 827441

CHICHESTER CARAVANS (UCKFIELD)

London Road
Uckfield
E Sussex TN22 2EA
Tel: 01825 764151

CHICHESTER CARAVANS (WINCHESTER)

Colden Common
Main Road
Winchester SO21 1TD
Tel: 01962 714844

CHIPPING SODBURY CARAVANS

Badminton Road
Chipping Sodbury
S. Glos BS37 6LH
Tel: 01454 318374

COACHCRAFT & LEISURE SERVICES

Unit 1, Radnor Industrial Park
Scorrier
Redruth
Cornwall TR16 5EQ
Tel: 01209 822177

CONWY TOURING PARK

Trefriw Road
Conwy
Wales LL32 8UX
Tel: 01492-592586

COOPERS CARAVANS

Brunel Gate
Brunel Industrial Estate
Harworth
Doncaster DN11 8QB
Tel: 01302 751478

COUPLAND CARAVANS

Tattershall Way
Fairfield Estate
Louth
Lincs LN11 0HL
Tel: 01507 603496

CROSSLEY COACHCRAFT

Comet Road
Moss Side Industrial Estate
Leyland
Lancs PR5 3QN
Tel: 01772 623423



SERVICE CENTRES

C. & S. CARAVAN SERVICES

Leyland Street
Accrington
Lancs BB5 0BH
Tel: 01254 386284

DAVID HOPE CARAVANS

Main A12
Farnham
Near Saxmunden
Suffolk IP17 1LE
Tel: 01728 602858

DICKINSON CARAVANS

Canal Road
Bradford
W Yorks BD2 1AL
Tel: 01274 392250

DINMORE CARAVANS

Hope under Dinmore
Leominster
Hereford HR6 0PJ
Tel: 01568 611481

DISCOVER CARLISLE

High Hesket (A6)
Carlisle
Cumbria CA4 0JW
Tel: 01697 475000

DISCOVER CHORLEY

Chapel Lane
Coppull
Chorley
Lancs PR7 4NB
Tel: 01257 793377

DISCOVER DARLINGTON

Burtree Gate (A68)
Darlington
Durham DL2 2XZ
Tel: 01325 383333

DISCOVER DELAMERE

Chester Road
Delamere Forest
Northwich
Cheshire CW8 2HB
Tel: 01606 882032

DISCOVER KENT

Sweechbridge Road
Hillborough
Herne Bay
Kent CT6 6TE
Tel: 01227 373848

DISCOVER WESTON

Main Road (A370)
Hewish
Weston-Super-Mare
Somerset BS24 6RT
Tel: 01934 832094

DISCOVER WREXHAM

Dunster Road Industrial Estate
Wrexham LL13 9RE
Tel: 01978 664300

DISCOVER YORK

Malton Road
Flaxton Moor
York YO6 7SE
Tel: 01904 468334

DORVIC CARAVANS

Oaktree Farm
201 Hill Head Road
Ballyclare
Co Antrim BT39 9LP
Tel: 0289 3352677

DUMFRIES CARAVANS

Annan Road
Dumfries
Scotland DG1 3JZ
Tel: 01387 252917

DUNCANS OF WISHAW

Wishaw Road
Waterloo
Wishaw
Strathclyde ML2 8ES
Tel: 01698 374224

DYCE CARAVANS

Pitmedden Road
Dyce
Aberdeen
Scotland AB21 0EY
Tel: 01224 722227

EAST COAST LEISURE

A127 Southend Arterial Road
Southend Bound
Basildon
Essex SS14 3DN
Tel: 01268 276276

EGLINTON CARAVANS

Shewalton Road
Riverside Business Park
Irvine
Ayrshire KA11 5DB
Tel: 01294 311002

SERVICE CENTRES



FIVE BELLS CARAVAN CENTRE

Five Bells Roundabout
Southend Road
Fobbing
Stanford Le Hope
Essex SS17 9EY
Tel: 01268 584888

FLINTSHIRE CARAVANS

76 Station Road
Queensferry
Deeside
Flintshire CH5 2TE

GLOSSOP CARAVANS SERVICE CENTRE

Woolley Bridge Road
Glossop
Derbyshire SK13 2NX
Tel: 01457 863232

GOLDEN CASTLE LEISURE

Cheltenham Road East
Churchdown
Gloucester GL2 9QL
Tel: 01452 713311

GNR SUTHERLAND CARAVAN SALES

Edderton
Tain
Rosshire
IV19 1JY
Tel: 01862-821253

GRANTS (CRAIGMILLS) CARAVANS

Strathmartine
By Dundee
Angus DD3 0PH
Tel: 01382 817979

GREENTREE ADVENTURE STORE

Adventure House
Dereham Business Park
Dereham
Norfolk NR19 1WD
Tel: 01362 696434

GT TOWING

Great North Road (A1000)
Hatfield
Herts AL9 5SD
Tel: 01707 262875

HEATHER LEISURE

Unit 10
Station Industrial Estate
Sheppard Street
Swindon
Wilts SN1 5DB
Tel: 01793-522545

HERALD CARAVANS

Main Road (A371)
Castle Cary
Somerset BA7 7PF
Tel: 01963 351513

IAN GIBBONS CARAVANS

Mobile Service - South East England
Tel: 0118 9333473
Mobile: 07887 512107

INDEPENDENT CARAVAN SERVICES

Mobile Service - East Midlands
Tel: 01332 732853
Mobile: 07901 820528

JR LEISURE

Eton Hill Road
Radcliffe
Manchester M26 2XT
Tel: 0161 7249922

LADY BAILEY CARAVANS

Lady Bailey Park
Winterbourne Whitchurch
Nr Blandford
Dorset DT11 0HS
Tel: 01258 880786

LEE DAVEY CARAVANS

Main Road (A20)
Harrietsham
Nr Maidstone
Kent ME17 1HN
Tel: 01622 859301

LEISURE SALES

Brereton Green
Sandbach
Cheshire CW11 1SD
Tel: 01477 535264

LONG EATON CARAVANS

Bankfield Farm
Derby Road
Draycott
Derby
DE72 3NX
Tel: 01332 870007

LOWDHAM LEISUREWORLD

Lowdham Road (A6097)
Gunthorpe
Nottingham NG14 7ES
Tel: 01159 663838

LOWDHAM OUTDOOR LEISURE

Crosland Hill
Huddersfield
W Yorks HD4 5NU
Tel: 01484 642613



SERVICE CENTRES

M & M LEISURE

Sturmer Road
Haverhill
Suffolk CB9 7UU
Tel: 01440 703974

MICHAEL JORDAN CARAVANS

Station Approach
Gomshall (A25)
Guildford
Surrey GU5 9NX
Tel: 01483 203335

MILESTONE CARAVANS

32/34 Canterbury Road
Hawkinge
Nr Folkstone
Kent CT18 7BP
Tel: 01303 892869

MSCR

(Mobile Caravan Service Repair) Wales
Mobile Service
South Wales
Tel: 07976 952897

NORTHAM FARM

Brean Sands
Somerset TA8 2SE
Tel: 01278 751244

NORTH EAST CARAVANS

Freeman Way
North Seaton Industrial Estate
Ashington
Northumberland NE63 0YB
Tel: 01670 812001

NORTH STAFFS CARAVANS

Stonewall Place
Silverdale
Newcastle under Lyme
Staffs ST5 6NR
Tel: 01782 622581

OVERLAND CARAVANS

263 Main Street,
Larbert,
Scotland FK5 4PX
Tel: 0132-455-4131

OUTDOOR EXPERIENCE

Chuley Road
Ashburton
Newton Abbot
Devon TQ13 7DG
Tel: 01364 652377

OXFORD CARAVAN CENTRE

Oxford Road
Tiddington
Nr Thame OX9 2LL
Tel: 01844 339566

PANELWORKS

Doncaster Road
Bawtry
Doncaster DN10 6DG
Tel: 0844 8006574

PENROSE TOURING

Scorrier
Redruth
Cornwall TR15 5BP
Tel: 01209 820451

PIONEER CARAVANS

Thorney Road
Eye
Peterborough
Cams PE6 7UB
Tel: 01733 222244

READ BLACKBURN

Croft Head Road
Whitebirk Ind Est
Blackburn
Lancs BB1 5UE
Tel: 01254 694313

READ LEEDS

York Road (A64)
Scholes
Leeds
West Yorks LS15 4NG
Tel: 0113 2329212

RENISHAW CARAVAN SERVICES

Smithy Brook Road
Renishaw
Nr Sheffield S21 3J
Tel: 01246 431407

ROBINSON CARAVANS LTD

Ringwood Road
Brimington
Chesterfield S43 1DG
Tel: 01246 230000

ROPERS LEISURE

Catterick Bridge
North Yorks DL10 7ST
Tel: 01748 818666

SERVICE CENTRES



RYEDALE CARAVANS & LEISURE

Ashby Road (A512)
Shepshed
Leicestershire LE12 9EF
Tel: 01509 508951

SALISBURY CARAVANS

Castlegate Business Park
Old Sarum
Salisbury
Wilts SP4 6QX
Tel: 01722 326111

SALOP CARAVANS

Newport Road
Albrighton
Wolverhampton WV7 3NA
Tel: 01902 374170

SOLIHULL CARAVANS

J. Bayliss & Sons
Service and Repair Centre
Station Road
Old Arley
Coventry CV7 8FG
Tel: 01676 540056

SOMERSET CARAVANS

A38 Bridgwater Road
Walford Cross
Taunton
Somerset TA2 8QR
Tel: 01823 413333

STEWART LONGTON CARAVANS

Main A6
Bolton-le-Sands
Near Carnforth
Lancs LA5 8AL
Tel: 01524 822911

STOWFORD CARAVAN SALES

Berry Down
Combe Martin
North Devon EX34 0PW
Tel: 01271 882476

SUNNYHAVEN CARAVANS

Gorseinon Road
Penllergaer
Swansea
W Glam SA4 1GE
Tel: 01792 892884

TAUNTON CARAVAN SERVICES

Gravelands Lane
Henlade
Taunton
Somerset TA3 5DL
Tel: 01823 443491

UNITED BRITISH CARAVANS

Sandy Lane
Wide Open
Newcastle-upon-Tyne NE3 5HA
Tel: 01912 363156

WALLACE CARAVANS

Kincraig
Thornton Road
Kirkcaldy
Fife KY1 3NW
Tel: 01592 774265

WANDAHOME

Brough Road
South Cave
East Yorks HU15 2DB
Tel: 01430 424342

WHITE ARCHES CARAVANS

Wellingborough Road
Rushden
Northampton NN10 6AY
Tel: 01933 353818

WIDNES CARAVANS

8 Croft Street
Widnes
Cheshire WA8 0NQ
Tel: 0151 4343378

YC LEISURE

Doncaster Road
Bawtry
Doncaster
Yorkshire DN10 6DG
Tel: 01302 710366

YORKSHIRE COAST CARAVANS

Beverley Road
Beeford
Driffield
East Yorks YO25 8AD
Tel: 01262 488366



SPECIFICATIONS

MODEL	BERTHS	INTERNAL BODY LENGTH	SHIPPING LENGTH	OVERALL BODY WIDTH	OVERALL HEIGHT	MAXIMUM HEADROOM	TYRE SIZES	TYRE PRESSURE (P.S./BAR) **
RANGER 380/2	2	3.673m	5.344m	2.19m	2.58m	1.90m	185/65 R14 LI 93N	39/2.70
RANGER 460/4	4	4.661m	6.332m	2.19m	2.58m	1.90m	185/65 R14 LI 93N	55/3.75
RANGER 500/5	5	5.059m	6.730m	2.19m	2.58m	1.90m	195/70 R14 LI 96N	37/2.60
RANGER 520/4	4	5.477m	7.148m	2.19m	2.58m	1.90m	195/70 R14 LI 96N	37/2.60
RANGER 540/6	6	5.508m	7.179m	2.19m	2.58m	1.90m	195/70 R14 LI 96N	37/2.60
RANGER 620/6	6	6.244m	7.915m	2.19m	2.58m	1.90m	185/65 R14 LI 93N	29/2.0
RANGER GT60 380/2	2	3.673m	5.344m	2.19m	2.58m	1.90m	185/65 R14 LI 93N	42/2.90
RANGER GT60 460/2	2	4.447m	6.118m	2.19m	2.58m	1.90m	185/65 R14 LI 93N	42/2.90
RANGER GT60 460/4	4	4.661m	6.332m	2.19m	2.58m	1.90m	185/65 R14 LI 93N	55/3.75
RANGER GT60 500/5	5	5.059m	6.730m	2.19m	2.58m	1.90m	195/70 R14 LI 96N	39/2.70
RANGER GT60 510/4	4	5.105m	6.776m	2.19m	2.58m	1.90m	185/65 R14 LI 93N	55/3.75
RANGER GT60 520/4	4	5.447m	7.148m	2.19m	2.58m	1.90m	195/70 R14 LI 96N	39/2.70
RANGER GT60 540/6	6	5.508m	7.179m	2.19m	2.58m	1.90m	195/70 R14 LI 96N	42/2.90
RANGER GT60 620/6	6	6.244m	7.915m	2.19m	2.58m	1.90m	185/65 R14 LI 93N	29/2.0



- ▲ The M.T.P.L.M. must not be exceeded. The maximum towing speed at M.T.P.L.M. for all models is 81 m.p.h. (130 k.m.p.h.)
- ▲ The maximum vertical static load for the coupling head or the maximum vertical load on the towing ball specified for the towing vehicle must not be exceeded.

** Figures quoted for when tyre is cold.

Steel wheel rim size: 5 $\frac{1}{2}$ J x 14 H2 ET30, 112mm PCD 5 stud. Alloy wheel rim size: 6J x 14 H2 ET30, 112mm PCD 5 stud

SPECIFICATIONS



MODEL	MAXIMUM TECHNICAL PERMISSIBLE LADEN MASS	M.R.O.	MASS OF ESSENTIAL HABITATION EQUIPMENT EFFECTS	PAYLOAD ALLOWANCE FOR PERSONAL EQUIPMENT	PAYLOAD ALLOWANCE FOR OPTIONAL EQUIPMENT	TOTAL USER PAYLOAD
RANGER 380/2	997kg	827kg	58kg	94kg	18kg	170kg
RANGER 460/4	1208kg	944kg	68kg	124kg	22kg	214kg
RANGER 500/5	1268kg	1044kg	68kg	138kg	18kg	224kg
RANGER 520/4	1282kg	1060kg	68kg	132kg	22kg	222kg
RANGER 540/6	1306kg	1063kg	68kg	153kg	22kg	243kg
RANGER 620/6	1522kg	1272kg	68kg	160kg	22kg	250kg
RANGER GT60 380/2	1058kg	901kg	58kg	94kg	5kg	157kg
RANGER GT60 460/2	1177kg	1002kg	68kg	102kg	5kg	175kg
RANGER GT60 460/4	1252kg	1055kg	68kg	124kg	5kg	197kg
RANGER GT60 500/5	1316kg	1105kg	68kg	138kg	5kg	211kg
RANGER GT60 510/4	1281kg	1079kg	68kg	129kg	5kg	202kg
RANGER GT60 520/4	1326kg	1121kg	68kg	132kg	5kg	205kg
RANGER GT60 540/6	1350kg	1124kg	68kg	153kg	5kg	226kg
RANGER GT60 620/6	1566kg	1333kg	68kg	160kg	5kg	233kg



- ▲ The M.T.P.L.M. must not be exceeded. The maximum towing speed at M.T.P.L.M. for all models is 81 m.p.h. (130 k.m.p.h.)
- ▲ The maximum vertical static load for the coupling head or the maximum vertical load on the towing ball specified for the towing vehicle must not be exceeded.

Steel wheel rim size: 5 $\frac{1}{2}$ J x 14 H2 ET30, 112mm PCD 5 stud. Alloy wheel rim size: 6J x 14 H2 ET30, 112mm PCD 5 stud



SPECIFICATIONS

MODEL	BERTHS	INTERNAL BODY LENGTH	SHIPPING LENGTH	OVERALL BODY WIDTH	OVERALL HEIGHT	MAXIMUM HEADROOM	TYRE SIZES	TYRE PRESSURE (P.S./BAR) **
PAGEANT MONARCH	2	4.831m	6.417m	2.28m	2.58m	1.90m	195/70 R14 LI96	37/2.6
PAGEANT BORDEAUX	4	4.831m	6.417m	2.28m	2.58m	1.90m	195/70 R14 LI96	39/2.7
PAGEANT CHAMPAGNE	4	5.438m	7.034m	2.28m	2.58m	1.90m	195/70 R14 LI96	42/2.9
PAGEANT BURGUNDY	4	5.608m	7.194m	2.28m	2.58m	1.90m	185/R14C R14 LI104N	51/3.5
PAGEANT SANCERRE	4	5.608m	7.194m	2.28m	2.58m	1.90m	185/R14C R14 LI104N	51/3.5
PAGEANT PROVENCE	5	5.608m	7.194m	2.28m	2.58m	1.90m	185/R14C R14 LI104N	52/3.6
PAGEANT BRETAGNE	6	5.608m	7.194m	2.28m	2.58m	1.90m	185/R14C R14 LI104N	52/3.6
PAGEANT LOIRE	6	6.244m	7.830m	2.28m	2.58m	1.90m	185/65 R14 LI93N	29/2.0
PAGEANT LIMOUSIN	4	6.244m	7.830m	2.28m	2.58m	1.90m	185/65 R14 LI93N	29/2.0
PAGEANT ARDENNES	4	6.244m	7.830m	2.28m	2.58m	1.90m	185/65 R14 LI93N	29/2.0



- ▲ The M.T.P.L.M. must not be exceeded. The maximum towing speed at M.T.P.L.M. for all models is 81 m.p.h. (130 k.m.p.h.)
- ▲ The maximum vertical static load for the coupling head or the maximum vertical load on the towing ball specified for the towing vehicle must not be exceeded.

** Figures quoted for when tyre is cold.

Steel wheel rim size: 5 $\frac{1}{2}$ J x 14 H2 ET30, 112mm PCD 5 stud.

Alloy wheel rim size: 6J x 14 H2 ET30, 112mm PCD 5 stud

SPECIFICATIONS



MODEL	MAXIMUM TECHNICAL PERMISSIBLE LADEN MASS	M.R.O.	MASS OF ESSENTIAL HABITATION EQUIPMENT EFFECTS	PAYLOAD ALLOWANCE FOR PERSONAL EQUIPMENT	PAYLOAD ALLOWANCE FOR OPTIONAL EQUIPMENT	TOTAL USER PAYLOAD
PAGEANT MONARCH	1295kg	1118kg	68kg	105kg	3kg	176kg
PAGEANT BORDEAUX	1321kg	1124kg	68kg	125kg	3kg	196kg
PAGEANT CHAMPAGNE	1410kg	1207kg	68kg	131kg	3kg	202kg
PAGEANT BURGUNDY	1445kg	1225kg	68kg	133kg	18kg	219kg
PAGEANT SANCERRE	1435kg	1215kg	68kg	133kg	18kg	219kg
PAGEANT PROVENCE	1490kg	1275kg	68kg	143kg	3kg	214kg
PAGEANT BRETAGNE	1483kg	1258kg	68kg	153kg	3kg	224kg
PAGEANT LOIRE	1642kg	1412kg	68kg	159kg	3kg	230kg
PAGEANT LIMOUSIN	1589kg	1378kg	68kg	140kg	3kg	211kg
PAGEANT ARDENNES	1602kg	1391kg	68kg	140kg	3kg	211kg



- ▲ The M.T.P.L.M. must not be exceeded. The maximum towing speed at M.T.P.L.M. for all models is 81 m.p.h. (130 k.m.p.h.)
- ▲ The maximum vertical static load for the coupling head or the maximum vertical load on the towing ball specified for the towing vehicle must not be exceeded.

Steel wheel rim size: 5 $\frac{1}{2}$ J x 14 H2 ET30, 112mm PCD 5 stud.

Alloy wheel rim size: 6J x 14 H2 ET30, 112mm PCD 5 stud



SPECIFICATIONS

MODEL	BERTHS	INTERNAL BODY LENGTH	SHIPPING LENGTH	OVERALL BODY WIDTH	OVERALL HEIGHT	MAXIMUM HEADROOM	TYRE SIZES	TYRE PRESSURE (P.S.I./BAR) **
SENATOR VERMONT	2	4.922m	6.508m	2.28m	2.58m	1.90m	195/70 R14 LI96	42/2.9
SENATOR ARIZONA	4	5.608m	7.194m	2.28m	2.58m	1.90m	185 R14 LI104	55/3.75
SENATOR INDIANA	4	5.608m	7.194m	2.28m	2.58m	1.90m	185 R14 LI104	55/3.75
SENATOR VIRGINIA	4	5.608m	7.194m	2.28m	2.58m	1.90m	185 R14 LI104	55/3.75
SENATOR CALIFORNIA	4	5.608m	7.194m	2.28m	2.58m	1.90m	185 R14 LI104	55/3.75
SENATOR WYOMING	4	6.400m	7.890m	2.28m	2.58m	1.90m	185/65 R14 LI93N	29/2.0
SENATOR LOUISIANA	4	6.400m	7.890m	2.28m	2.58m	1.90m	185/65 R14 LI93N	29/2.0
SENATOR CAROLINA	6	6.400m	7.890m	2.28m	2.58m	1.90m	185/65 R14 LI93N	29/2.0



- ▲ The M.T.P.L.M. must not be exceeded. The maximum towing speed at M.T.P.L.M. for all models is 81 m.p.h. (130 k.m.p.h.)
- ▲ The maximum vertical static load for the coupling head or the maximum vertical load on the towing ball specified for the towing vehicle must not be exceeded.

** Figures quoted for when tyre is cold.

Steel wheel rim size: 5¹/₂J x 14 H2 ET30, 112mm PCD 5 stud.

Alloy wheel rim size: 6J x 14 H2 ET30, 112mm PCD 5 stud.

SPECIFICATIONS



MODEL	MAXIMUM TECHNICAL PERMISSIBLE LADEN MASS	M.R.O.	MASS OF ESSENTIAL HABITATION EQUIPMENT EFFECTS	PAYLOAD ALLOWANCE FOR PERSONAL EQUIPMENT	PAYLOAD ALLOWANCE FOR OPTIONAL EQUIPMENT	TOTAL USER PAYLOAD
SENATOR VERMONT	1392kg	1183kg	88kg	106kg	15kg	209kg
SENATOR ARIZONA	1500kg	1264kg	88kg	133kg	15kg	236kg
SENATOR INDIANA	1500kg	1264kg	88kg	133kg	15kg	236kg
SENATOR VIRGINIA	1495kg	1259kg	88kg	133kg	15kg	236kg
SENATOR CALIFORNIA	1495kg	1259kg	88kg	133kg	15kg	236kg
SENATOR WYOMING	1678kg	1435kg	88kg	140kg	15kg	243kg
SENATOR LOUISIANA	1686kg	1443kg	88kg	140kg	15kg	243kg
SENATOR CAROLINA	1759kg	1496kg	88kg	160kg	15kg	263kg



- ▲ The M.T.P.L.M. must not be exceeded. The maximum towing speed at M.T.P.L.M. for all models is 81 m.p.h. (130 k.m.p.h.)
- ▲ The maximum vertical static load for the coupling head or the maximum vertical load on the towing ball specified for the towing vehicle must not be exceeded.

Steel wheel rim size: 5 $\frac{1}{2}$ J x 14 H2 ET30, 112mm PCD 5 stud.


Alloy wheel rim size: 6J x 14 H2 ET30, 112mm PCD 5 stud.



WIRING DIAGRAMS

ROADLIGHT WIRING – RANGER & RANGER GT60

NOTE: ALL CABLE SIZES GIVEN IN MM²





WIRING DIAGRAMS



230 VOLT & 12 VOLT PRIMARY CIRCUIT DIAGRAM - RANGER & RANGER GT60

- COLOUR KEY**
 OG-ORANGE/GREEN
 YEL-YELLOW(AUX)
 Y-YELLOW(C/P)
 RD-RED
 WH-WHITE
 BL-BLUE
 RD/O-RED/ORANGE
 O-ORANGE
 BL/RD-BLUE/RED
 G/B-GREEN/BLUE
 G/RD-GREEN/RED
 O/BLK-ORANGE/BLACK
 G/B/R-GREEN/BROWN
 B/W-BLACK/WHITE
 G-GREEN
 B/BR-BLUE/BROWN
 G/BK-GREEN/BLACK
 P-PURPLE
 B-BLACK
 O/W-ORANGE/WHITE
 GY-GREY
 Y/B-YELLOW/BLACK


CONNECTIONS FROM 13 PIN PLUG





ROADLIGHT WIRING – PAGEANT

NOTE: ALL CABLE SIZES GIVEN IN MM²




230 VOLT & 12 VOLT PRIMARY CIRCUIT DIAGRAM - PAGEANT

COLOUR KEY


- O/G-ORANGE/GREEN
- YEL-YELLOW(AUX)
- Y-YELLOW(C/P)
- RD-RED
- WH-WHITE
- BL-BLUE
- RD/O-RED/ORANGE
- O-ORANGE
- BL/RD-BLUE/RED
- G/B-GREEN/BLUE
- G/RD-GREEN/RED
- O/BLK-ORANGE/BLACK
- G/BR-GREEN/BROWN
- B/W-BLACK/WHITE
- G-GREEN
- B/BR-BLUE/BROWN
- G/BK-GREEN/BLACK
- P-PURPLE
- B-BLACK
- O/W-ORANGE/WHITE
- GY-GREY
- Y/B-YELLOW/BLACK

CONNECTIONS FROM 13 PIN PLUG




ALKO ATC

ALKO ATC



ROADLIGHT WIRING – SENATOR

NOTE: ALL CABLE SIZES GIVEN IN MM²




WIRING DIAGRAMS




230 VOLT & 12 VOLT PRIMARY CIRCUIT DIAGRAM - SENATOR


- COLOUR KEY**
- O/G-ORANGE/GREEN
 - YEL-YELLOW(AUX)
 - Y-YELLOW(C/P)
 - RD-RED
 - WH-WHITE
 - BL-BLUE
 - RD/O-RED/ORANGE
 - O-ORANGE
 - BL/RD-BLUE/RED
 - G/B-GREEN/BLUE
 - G/RD-GREEN/RED
 - O/BLK-ORANGE/BLACK
 - G/BR-GREEN/BROWN
 - B/W-BLACK/WHITE
 - G-GREEN
 - B/BR-BLUE/BROWN
 - G/BK-GREEN/BLACK
 - P-PURPLE
 - B-BLACK
 - O/W-ORANGE/WHITE
 - GY-GREY
 - YB-YELLOW/BLACK
- CONNECTIONS FROM 13PIN PLUG



SENATOR CONTROL PANEL DIAGRAM



SOCKET VIEWED FROM CABLE ENTRY



FUSE/MCB SPECIFICATION - ALL MODELS

FUSES

Caravan Battery -	10 amp blade (red)
Caravan Battery +	15 amp blade (blue)
Charger +	15 amp blade (blue)
Permanent live supply from car +	10 amp blade (red)
Permanent live supply from car -	10 amp blade (red)
Fridge	15 amp blade (blue)
Pump	10 amp blade (red)
Auxiliary 1	10 amp blade (red)
Auxiliary 2	10 amp blade (red)
Lights	10 amp blade (red)
Truma Ultrastore	230 volt 5 amp cartridge
Refrigerator	230 volt 3 amp cartridge
Truma Ultraheat	230 volt 10 / 13 amp cartridge
Clock battery	E90 - LR1 - N - 1.5 volt
Smoke alarm battery	9 volt



BULB, TUBE & FUSE SPECIFICATION - ALL MODELS

ROAD LIGHTS

Front marker light	12 volt	5 watt	Push in (QH)
Side Marker light	12 volt	5 watt	MBC
Brake lights	12 volt	21 watt	SBC
Road lights	12 volt	10 watt	SBC
Fog lights	12 volt	21 watt	SBC
Indicator lights	12 volt	21 watt	OBC
Number plate light	12 volt	10 watt	SBC
Brake (high level) x 2	12 volt	5 watt	Festoon
Reversing light	12 volt	21 watt	SBC

INTERIOR LIGHTS

Fluorescent lights (Front, Rear, Kitchen)	12 volt	8 watt	
Fluorescent light (Toilet Ceiling)	12 volt	8 watt	
Halogen lights	12 volt	10 watt	QH
Spotlight	12 volt	15 watt	SBC
Bathroom Spotlight	12 volt	10 watt	Push-in (QH)
Mains Light	240 volt	25 watt	ES
Mains Reading light	240 volt	40 watt	SES
Awning light	12 volt	10 watt	SBC

AWNING SIZES

The following are the ground to ground dimensions through the awning channel. These dimensions are issued as a guideline only, please refer to your dealer for the correct awning size to suit your particular caravan.

RANGER	380/2	814 cms	PAGEANT	Monarch	930 cms
	460/4	914 cms		Bordeaux	930 cms
	500/5	953 cms		Champagne	991 cms
	520/4	995 cms		Burgundy	1008 cms
	540/6	998 cms		Sancerre	1008 cms
	620/6	1072 cms		Provence	1008 cms
RANGER GT60	380/2	814 cms	Bretagne	1008 cms	
	460/2	892 cms	Loire	1072 cms	
	460/4	914 cms	Limousin	1072 cms	
	500/5	953 cms	Ardennes	1072 cms	
	510/4	958 cms	SENATOR	Vermont	940 cms
	520/4	995 cms		Arizona	1009 cms
	540/6	998 cms		Indiana	1009 cms
	620/6	1072 cms		Virginia	1009 cms
		California		1009 cms	
		Wyoming		1088 cms	
		Louisiana	1088 cms		
		Carolina	1088 cms		



ANNUAL SERVICE

Caution: To qualify for the factory backed warranty your caravan must be serviced/moisture tested by an approved Bailey Service Centre every 12 months (or within 6 weeks of each anniversary of purchase) in accordance with the NCC recommended service schedule and the following moisture test.

STANDARD DAMP CHECK FOR TOURING CARAVANS

Caution: The following damp check must be carried out every 12 months by a Bailey Caravans approved repair centre.

Equipment

A calibrated damp meter should be used which should comply with the minimum specification laid down below.

Measurement range 6% to above fibre saturation in wood
(to nominal 100%)

Resolution $\pm 0.1\%$

Operating Temperature
Range -10 to + 45°C

The meter should be fitted with an adjustable audible alarm and be battery powered.

Method

Readings should be taken in each position marked on Diagram 1. Care should be taken when readings are made to ensure that

readings are accurate. It is important to make sure that probes are free of moisture and the surface being checked is free from condensation.

All readings should be taken in a position where the holes created by the meter's probe are not visible, ie behind rubber seals, in bedboxes or in cupboards.

Results

Readings between 0 - 20% are considered acceptable.

Readings greater than 20% will identify areas needing further investigation and possibly remedial work.

THERMAL INSULATION HEATING GRADE

All Bailey caravans are manufactured and approved by the National Caravan Council to EN1645-1 thermal insulation and heating classification grade 2 - This has been approved using the Truma space heater running on gas as the heating method.

The 230 volt heating system in Ranger, Pageant and Senator should be used as a supplementary or spring/summer heating system and does not comply with grade 2 EN1645-1.

Grade 2 is classified as being able to achieve an average temperature difference of 20°C between inside and outside the caravan when the outside temperature is 0°C.

Recommended annual moisture test

